





## Central Line-Associated Primary Bloodstream Infections (CLI)

Central Line-Associated Primary Bloodstream Infections (CLI) occur when a central venous catheter (or “line”) placed into a patient’s vein gets infected. This happens when bacteria grow in the line and spread to the patient’s bloodstream. Central lines may be required when a patient needs blood, fluid replacement and/or nutrition need to be given to them intravenously. Central lines also allow healthcare providers to monitor fluid status and make determinations about the heart and blood.

The Ministry of Health and Long-Term Care has issued a directive under the Public Hospitals Act requiring hospitals to report quarterly the number and rate of infections in their Intensive Care Units.





## Central Line-Associated Primary Bloodstream Infections (CLI)

Central Line-Associated Primary Bloodstream Infections (CLI) occur when a central venous catheter (or “line”) placed into a patient’s vein gets infected. This happens when bacteria grow in the line and spread to the patient’s bloodstream. Central lines may be required when a patient needs blood, fluid replacement and/or nutrition need to be given to them intravenously. Central lines also allow healthcare providers to monitor fluid status and make determinations about the heart and blood.

The Ministry of Health and Long-Term Care has issued a directive under the Public Hospitals Act requiring hospitals to report quarterly the number and rate of infections in their Intensive Care Units.

